CANADIAN JOURNAL
OF FOREST RESEARCH

JOURNAL CANADIEN
DE LA RECHERCHE FORESTIERE

VOLUME 9, 1979

Author Index/Index des auteurs

Under each name are listed, in chronological order of publication, all articles in which an author has participated/ Chaque notice indique, dans l'ordre chronologique de publication, tous les articles auxquels l'auteur a participé

Aber, J.D.
Predicting the effects of different harvesting regimes on productivity and yield in northern hardwoods
JOHN D. ABER, DANIELD B. BOTKIN, and
JERRY M. MELILLO 10

Abusamra, J.
Electrical resistance as a guide to thinning sugar maples
W.C. SHORTLE, J. ABUSAMRA, F.M. LAING, and
M.F. MORSELLI 436

Aho, P.E.
A new variety of *Phellinus pini* associated with cankers and decay in white firs in southwestern Oregon and northern California
MICHAEL J. LARSEN, FRANCES F. LOMBARD, and
PAUL E. AHO 31

Alm, A.A.
Mechanized strip-thinning in jack pine reproduction
A.A. ALM, S.M. PFLAGER, and R. SCHANTZ-HANSEN 470

Alvarez, I.F.
Mycorrhizae and growth of white fir seedlings in mineral soil with and without organic layers in a California forest
ISABEL F. ALVAREZ, DAVID L. ROWNEY, and
FIELDS W. COBB, JR. 311

Anderson, G.W.
Hypoxylon canker incidence on pruned and unpruned aspen
MICHAEL E. OSTRY and GERALD W. ANDERSON 290

Arnott, J.T.
Effect of light intensity during extended photoperiod on growth of amabilis fir, mountain hemlock, and white and Engelmann spruce seedlings
J.T. ARNOTT 82

Arvanitis, L.G.
Aspects of statistical bias due to the forest edge: fixed-area circular plots
GARY W. FOWLER and LOUKAS G. ARVANITIS 383

Auchmoody, L.R.
Nitrogen fertilization stimulates germination of dormant pin cherry seed
L.R. AUCHMOODY 514

Baker, F.A., Jr.
Note on the biology of *Arceuthobium pusillum*
FRED A. BAKER, JR., and D.W. FRENCH 544

Baker, J.B.
Nutrient use by three geographic sources of eastern cottonwood
B.G. BLACKMON, JAMES B. BAKER, and D.T. COOPER 532

Bedunah, D.
Sodium chloride effects on carbon dioxide exchange rates and other plant and soil variables of ponderosa pine
D. BEDUNAH and M.J. TRLICA 349

Beineke, W.F.
Delay of floral and leaf development by overtree irrigation in black walnut
WALTER F. BEINEKE and JIMMY L. HUNLEY 379

Benoit, P.
Kraft pulping of jack pine killed by the Swaine sawfly
K. HUNT and P. BENOIT 149

Blackmon, B.G.
Nutrient use by three geographic sources of eastern cottonwood
B.G. BLACKMON, JAMES B. BAKER, and D.T. COOPER 532

Blais, J.R.
Rate of defoliation of balsam fir in relation to spruce budworm attack and timing of spray application
J. ROBERT BLAIS 354

Blanchette, R.A.
A study of progressive stages of discoloration and decay in *Malus* using scanning electron microscopy
ROBERT A. BLANCHETTE 464

Bloomberg, W.J.
Comparison of indicator variables for estimating growth reduction associated with *Phellinus weirii* root in Douglas-fir plantations
W.J. BLOOMBERG and G.W. WALLIS 76

Botkin, D.B.
Predicting the effects of different harvesting regimes on productivity and yield in northern hardwoods
JOHN D. ABER, DANIELD B. BOTKIN, and
JERRY M. MELILLO 10

Boudreau, P.
Height growth and apical damage of white ash (*Fraxinus americana* L.) from various latitudes outplanted in New Brunswick
F.B. GOLDSMITH and P. BOUDREAU 27

Brister, G.H.
Vesicular–arbuscular mycorrhiza influence growth but not mineral concentrations in seedlings of eight sweetgum families
R.C. SCHULTZ, P.P. KORMANIK, W.C. BRYAN, and G.H. BRISTER 218

Brix, H.
Effects of plant water stress on photosynthesis and survival of four conifers
H. BRIX 160

Brodie, J.D.
Goal programming for reconciling economic, even-flow, and regulation objectives in forest harvest scheduling
CHIANG KAO and J. DOUGLAS BRODIE 525

Brubaker, L.B.
Differential effects of Douglas-fir tussock moth and western spruce budworm defoliation on radial growth of grand fir and Douglas-fir
LINDA B. BRUBAKER and SHANNON K. GREENE 95

Bryan, W.C.
Vesicular–arbuscular mycorrhiza influence growth but not mineral concentrations in seedlings of eight sweetgum families
R.C. SCHULTZ, P.P. KORMANIK, W.C. BRYAN, and G.H. BRISTER 218

Buongiorno, J.
Income and price elasticities of demand for sawn wood and wood-based panels: a pooled cross-section and time-series analysis
JOSEPH BUONGIORNO 141

Burdett, A.N.
New methods for measuring root growth capacity: their value in assessing lodgepole pine stock quality
A.N. BURDETT 63

Burdett, A.N.
A nondestructive method for measuring the volume of intact plant parts
A.N. BURDETT 120

Campbell, R.A.
Laser activation of phytochrome-controlled germination in *Pinus banksiana*
ROBERT A. CAMPBELL and DONALD J. DURZAN 522

Carlson, W.C.
Comparative root system morphologies of seeded-in-place, bareroot, and containerized Douglas-fir seedlings after outplanting
C.L. PREISIG, W.C. CARLSON, and L.C. PROMNITZ 399

Chaney, W.R.
Leaf and twig abscission relationships in a mature white oak
WILLIAM R. CHANEY 345

Cobb, F.W., Jr.
Mycorrhizae and growth of white fir seedlings in mineral soil with and without organic layers in a California forest
ISABEL F. ALVAREZ, DAVID L. ROWNEY, and FIELDS W. COBB, JR. 311

Cooper, D.T.
Nutrient use by three geographic sources of eastern cottonwood
B.G. BLACKMON, JAMES B. BAKER, and D.T. COOPER 532

Cooper, J.M.
Nutrient cycles in pine and their adaptation to poor soils
HUGH G. MILLER, JEAN M. COOPER, JOHN D. MILLER, and OLIVE J.L. PAULINE 19

Copes, D.L.
A genetic analysis of aminopeptidase and peroxidase isoenzymes in Douglas-fir parent trees and seedling progeny
DONALD L. COPES 189

Crook, G.W.
Susceptibility of balsam fir to spruce budworm defoliation as affected by thinning
GREGORY W. CROOK, PAUL E. VÉZINA, and YVAN HARDY 428

Dancik, B.P.
Atypical needle fascicles in *Pinus contorta*
JOHN C. POLLACK and BRUCE P. DANCIK 538

D'Aoust, A.L.
Erratum: Influence de l'irradiation sur la croissance de plants d'épinette noire en contenants placés dans deux enceintes de culture
ANDRÉ L. D'AOUST 140

Davis, D.D.
Variation among *Fraxinus* families in foliar response to ozone
K.C. STEINER and D.D. DAVIS 106

Denne, M.P.
Wood structure and production within the trunk and branches of *Picea sitchensis* in relation to canopy formation
M.P. DENNE 406

Dickson, R.E.
Xylem translocation of amino acids from roots to shoots in cottonwood plants
RICHARD E. DICKSON 374

Dionne, J.-C.
Radiocarbon dates on peat and tree remains from James Bay area, subarctic Quebec
JEAN-CLAUDE DIONNE 125

Dorworth, C.E.
Stand reduction of red pine by *Gremmeniella albietina*
CHARLES E. DORWORTH 316

Durzan, D.J.
Laser activation of phytochrome-controlled germination in *Pinus banksiana*
ROBERT A. CAMPBELL and DONALD J. DURZAN 522

Eckstein, D.
Relationship of wood structure to compartmentalization of discolored wood in hybrid poplar
DIETER ECKSTEIN, WALTER LIESE, and ALEX L. SHIGO 205

Edgar, J.G.
Effects of sowing time and container type on height growth and survival of seedlings of *Eucalyptus regnans*
J.D.KELLAS and J.G. EDGAR 478

Edmonds, R.L.
Decomposition and nutrient release in Douglas-fir needle litter in relation to stand development
ROBERT L. EDMONDS 132

Ek, A.R.
Performance and comparison of stand growth models based on individual tree and diameter-class growth
ALAN R. EK and ROBERT A. MONSERUD 231

Elliott, D.L.
The occurrence of bisexual strobiles on black spruce (*Picea mariana* (Mill.) B.S.P.) in the forest–tundra ecotone: Keewatin, Northwest Territories
DEBORAH L. ELLIOTT 284

Elliott, D.L.
Erratum: The occurrence of bisexual strobiles on black spruce (*Picea mariana* (Mill.) B.S.P.) in the forest-tundra ecotone: Keewatin, Northwest Territories
DEBORAH L. ELLIOTT 545

Ellis, R.C.
Response of crop trees of sugar maple, white ash, and black cherry to release and fertilization
ROBERT C. ELLIS 179

Falkenhagen, E.R.
Range-wide genetic variation of black spruce: discussion
E.R. FALKENHAGEN 547

Fischer, B.C.
Seed dormancy in striped maple
B.F. WILSON, D.E. HIBBS, and B.C. FISCHER 263

Fogel, R.
Fungal and arboreal biomass in a western Oregon Douglas-fir ecosystem: distribution patterns and turnover
ROBERT FOGEL and GARY HUNT 245

Fowler, G.W.
Aspects of statistical bias due to the forest edge: fixed-area circular plots
GARY W. FOWLER and LOUKAS G. ARVANITIS 383

Fraser, H.S.
Phenolic character of sequential solvent extracts from western hemlock and white spruce barks
H.S. FRASER and E.P. SWAN 495

French, D.W.
Note on the biology of *Arceuthobium pusillum*
FRED A. BAKER, JR., and D.W. FRENCH 544

Funk, D.T.
Stem form response to repeated pruning of young black walnut trees
DAVID T. FUNK 114

Galloway, G.
Cladoptosis: a reproductive strategy in black cottonwood?
GLEN GALLOWAY and JOHN WORRALL 122

Gokhale, A.A.
Decay resistance owing to near-anaerobic conditions in black cottonwood wetwood
B.J. VAN DER KAMP, A.A. GOKHALE, and R.S. SMITH 39

Goldsmith, F.B.
Height growth and apical damage of white ash (*Fraxinus americana* L.) from various latitudes outplanted in New Brunswick
F.B. GOLDSMITH and P. BOUDREAU 27

Greene, S.K.
Differential effects of Douglas-fir tussock moth and western spruce budworm defoliation on radial growth of grand fir and Douglas-fir
LINDA B. BRUBAKER and SHANNON K. GREENE 95

Hansen, E.M.
Survival of *Phellinus weirii* in Douglas-fir stumps after logging
E.M. HANSEN 484

Hardy, Y.
Susceptibility of balsam fir to spruce budworm defoliation as affected by thinning
GREGORY W. CROOK, PAUL E. VÉZINA, and YVAN HARDY 428

Harvey, R.D., Jr.
Rate of increase of blue stained volume in mountain pine beetle killed lodgepole pine in northeastern Oregon, U.S.A.
ROBERT D. HARVEY, JR. 323

Harvey, R.D., Jr.
A photographic method for measuring tree defect
WALTER G. THIES and ROBERT D. HARVEY, JR. 541

Hellum, A.K.
Temperature and time affect the release and quality of seed from cones of lodgepole pine from Alberta
A.K. HELLUM and M. PELCHAT 154

Hibbs, D.E.
Seed dormancy in striped maple
B.F. WILSON, D.E. HIBBS, and B.C. FISCHER 263

Hibbs, D.E.
The age structure of a striped maple population
DAVID E. HIBBS 504

Hobbs, S.D.
Soil nutrient levels and pH associated with *Armillariella mellea* on conifers in northern Idaho
WALTER J. SHIELDS, JR., and STEPHEN D. HOBBS 45

Houston, D.R.
Beech bark disease: patterns of spread and development of the initiating agent *Cryptococcus fagisuga*
D.R. HOUSTON, E.J. PARKER, and D. LONSDALE 336

Hunley, J.L.
Delay of floral and leaf development by overtree irrigation in black walnut
WALTER F. BEINEKE and JIMMY L. HUNLEY 379

Hunt, G.
Fungal and arboreal biomass in a western Oregon Douglas-fir ecosystem: distribution patterns and turnover
ROBERT FOGEL and GARY HUNT 245

Hunt, K.
Kraft pulping of jack pine killed by the Swaine sawfly
K. HUNT and P. BENOIT 149

Hutnik, R.J.
Effects of cutting intensity, deer browsing, and liming on Allegheny hardwood tree regeneration
J.R. MCCLENAHEN and R.J. HUTNIK 362

Johnson, P.S.
Shoot elongation of black oak and white oak sprouts
PAUL S. JOHNSON 489

Jurgensen, M.F.
Fire-induced water repellency in forest soils of upper Michigan
CHERYL J. REEDER and M.F. JURGENSEN 369

Kao, C.
Goal programming for reconciling economic, even-flow, and regulation objectives in forest harvest scheduling
CHIANG KAO and J. DOUGLAS BRODIE 525

Kaufmann, M.R.
Stomatal control and the development of water deficit in Engelmann spruce seedlings during drought
MERRILL R. KAUFMANN 297

Kellas, J.D.
Effects of sowing time and container type on height growth and survival of seedlings of *Eucalyptus regnans*
J.D.KELLAS and J.G. EDGAR 478

Kondo, E.S.
Evaluation of phyllophagous insects as possible vectors of Dutch elm disease
EDWARD S. KONDO and J. BOYD THOMAS 90

Kormanik, P.P.
Vesicular–arbuscular mycorrhiza influence growth but not mineral concentrations in seedlings of eight sweetgum families
R.C. SCHULTZ, P.P. KORMANIK, W.C. BRYAN, and
G.H. BRISTER 218

Kozlowski, T.T.
Effect of SO_2 on stomatal aperture and sulfur uptake of woody angiosperm seedlings
T.L. NOLAND and T.T. KOZLOWSKI 57

Kozlowski, T.T.
Influence of potassium nutrition on susceptibility of silver maple to ozone
T.L. NOLAND and T.T. KOZLOWSKI 501

Lachance, D.
Estimation of butt rot in a white spruce plantation
D. LACHANCE 287

Laing, F.M.
Electrical resistance as a guide to thinning sugar maples
W.C. SHORTLE, J. ABUSAMRA, F.M. LAING, and
M.F. MORSELLI 436

Larsen, M.J.
A new variety of *Phellinus pini* associated with cankers and decay in white firs in southwestern Oregon and northern California
MICHAEL J. LARSEN, FRANCES F. LOMBARD, and
PAUL E. AHO 31

Li, C.Y.
Light and temperature induced sporocarp formation of *Phellinus weirii*
CHING Y.LI 535

Liese, W.
Relationship of wood structure to compartmentalization of discolored wood in hybrid poplar
DIETER ECKSTEIN, WALTER LIESE, and ALEX L. SHIGO 205

Logan, K.T.
The response of bud morphogenesis in black spruce and white spruce provenances to environmental variables
D.F.W. POLLARD and K.T. LOGAN 211

Lombard, F.F.
A new variety of *Phellinus pini* associated with cankers and decay in white firs in southwestern Oregon and northern California
MICHAEL J. LARSEN, FRANCES F. LOMBARD, and
PAUL E. AHO 31

Lonsdale, D.
Beech bark disease: patterns of spread and development of the initiating agent *Cryptococcus fagisuga*
D.R. HOUSTON, E.J. PARKER, and D. LONSDALE 336

Lousier, J.D.
Organis matter and chemical element dynamics in an aspen woodland soil
J. DANIEL LOUSIER and DENNIS PARKINSON 449

Mahendrappa, M.K.
Interception of aerially applied ammonium nitrate by hardwood and softwood trees
M.K. MAHENDRAPPA 437

Martell, A.M.
Selection of conifer seeds by deer mice and red-backed voles
ARTHUR M. MARTELL 201

Mattson, W.J., Jr.
Red pine cones: distribution within trees and methods for sampling
WILLIAM JOHN MATTSON, JR. 257

McClenahen, J.R.
Effects of cutting intensity, deer browsing, and liming on Allegheny hardwood tree regeneration
J.R. MCCLENAHEN and R.J. HUTNIK 362

McMullan, E.E.
Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN,
MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS 193

McMullan, E.E.
Erratum: Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN,
MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS 546

Meagher, M.D.
Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN,
MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS 193

Meagher, M.D.
Erratum: Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN, MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS 546

Melillo, J.M.
Predicting the effects of different harvesting regimes on productivity and yield in northern hardwoods
JOHN D. ABER, DANIELD B. BOTKIN, and JERRY M. MELILLO 10

Miller, H.G.
Nutrient cycles in pine and their adaptation to poor soils
HUGH G. MILLER, JEAN M. COOPER, JOHN D. MILLER, and OLIVE J.L. PAULINE 19

Miller, J.D.
Nutrient cycles in pine and their adaptation to poor soils
HUGH G. MILLER, JEAN M. COOPER, JOHN D. MILLER, and OLIVE J.L. PAULINE 19

Monserud, R.A.
Performance and comparison of stand growth models based on individual tree and diameter-class growth
ALAN R. EK and ROBERT A. MONSERUD 231

Moore, J.M.
Fire history and recent fire rotation periods in the Nova Scotia Acadian Forest
ROSS W. WEIN and JANICE M. MOORE 166

Morgenstern, E.K.
Range-wide genetic variation of black spruce: reply
E.K. MORGENSTERN 548

Morselli, M.F.
Electrical resistance as a guide to thinning sugar maples
W.C. SHORTLE, J. ABUSAMRA, F.M. LAING, and M.F. MORSELLI 436

Muller, R.A.
The Canadian softwood lumber industry: discussion
R.A. MULLER 295

Nautiyal, J.C.
The place of forestry in the energy question
J.C. NAUTIYAL 68

Noland, T.L.
Effect of SO_2 on stomatal aperture and sulfur uptake of woody angiosperm seedlings
T.L. NOLAND and T.T. KOZLOWSKI 57

Noland, T.L.
Influence of potassium nutrition on susceptibility of silver maple to ozone
T.L. NOLAND and T.T. KOZLOWSKI 501

Oliver, C.D.
Crown stratification by species in even-aged mixed stands of Douglas-fir – western hemlock
CHARLES A. WIERMAN and CHADWICK DEARING OLIVER 1

Ostry, M.E.
Hypoxylon canker incidence on pruned and unpruned aspen
MICHAEL E. OSTRY and GERALD W. ANDERSON 290

Parker, E.J.
Beech bark disease: patterns of spread and development of the initiating agent *Cryptococcus fagisuga*
D.R. HOUSTON, E.J. PARKER, and D. LONSDALE 336

Parkinson, D.
Organis matter and chemical element dynamics in an aspen woodland soil
J. DANIEL LOUSIER and DENNIS PARKINSON 449

Pauline, O.J.L.
Nutrient cycles in pine and their adaptation to poor soils
HUGH G. MILLER, JEAN M. COOPER, JOHN D. MILLER, and OLIVE J.L. PAULINE 19

Pelchat, M.
Temperature and time affect the release and quality of seed from cones of lodgepole pine from Alberta
A.K. HELLUM and M. PELCHAT 154

Pflager, S.M.
Mechanized strip-thinning in jack pine reproduction
A.A. ALM, S.M. PFLAGER, and R. SCHANTZ-HANSEN 470

Pollack, J.C.
Atypical needle fascicles in *Pinus contorta*
JOHN C. POLLACK and BRUCE P. DANCIK 538

Pollard, D.F.W.
The response of bud morphogenesis in black spruce and white spruce provenances to environmental variables
D.F.W. POLLARD and K.T. LOGAN 211

Pollard, D.F.W.
Variation in response to declining photoperiod among families and stands of white spruce in southeastern Ontario
D.F.W. POLLARD and C.C. YING 443

Pollard, D.F.W.
Variance in flushing among and within stands of seedling white spruce
D.F.W. POLLARD and C.C. YING 517

Pope, P.E.
The effect of genotype on biomass and nutrient content in 11-year-old loblolly pine plantations
P.E. POPE 224

Powell, D.S.
Sprouting ability of advance growth in undisturbed hardwood stands
DOUGLAS S. POWELL and E.H. TRYON 116

Preisig, C.L.
Comparative root system morphologies of seeded-in-place, bareroot, and containerized Douglas-fir seedlings after outplanting
C.L. PREISIG, W.C. CARLSON, and L.C. PROMNITZ 399

Promnitz, L.C.
Comparative root system morphologies of seeded-in-place, bareroot, and containerized Douglas-fir seedlings after outplanting
C.L. PREISIG, W.C. CARLSON, and L.C. PROMNITZ 399

Puritch, G.S.
Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN, MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS **193**

Puritch, G.S.
Erratum: Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN, MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS **546**

Reeder, C.J.
Fire-induced water repellency in forest soils of upper Michigan
CHERYL J. REEDER and M.F. JURGENSEN **369**

Rowney, D.L.
Mycorrhizae and growth of white fir seedlings in mineral soil with and without organic layers in a California forest
ISABEL F. ALVAREZ, DAVID L. ROWNEY, and FIELDS W. COBB, JR. **311**

Schantz-Hansen, R.
Mechanized strip-thinning in jack pine reproduction
A.A. ALM, S.M. PFLAGER, and R. SCHANTZ-HANSEN **470**

Schultz, R.C.
Vesicular–arbuscular mycorrhiza influence growth but not mineral concentrations in seedlings of eight sweetgum families
R.C. SCHULTZ, P.P. KORMANIK, W.C. BRYAN, and G.H. BRISTER **218**

Shields, W.J., Jr.
Soil nutrient levels and pH associated with *Armillariella mellea* on conifers in northern Idaho
WALTER J. SHIELDS, JR., and STEPHEN D. HOBBS **45**

Shigo, A.L.
Relationship of wood structure to compartmentalization of discolored wood in hybrid poplar
DIETER ECKSTEIN, WALTER LIESE, and ALEX L. SHIGO **205**

Shortle, W.C.
Electrical resistance as a guide to thinning sugar maples
W.C. SHORTLE, J. ABUSAMRA, F.M. LAING, and M.F. MORSELLI **436**

Simard, A.J.
A computer simulation model of forest fire suppression with air tankers
A.J. SIMARD **390**

Simmons, C.S.
Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN, MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS **193**

Simmons, C.S.
Erratum: Hormonal enhancement of cone production in Douglas-fir grafts and seedlings
GEORGE S. PURITCH, ELEANOR E. MCMULLAN, MICHAEL D. MEAGHER, and CLARENCE S. SIMMONS **546**

Smirnoff, W.A.
Results of spraying *Bacillus thuringiensis* 2 consecutive years over balsam fir stands damaged by spruce budworm
W.A. SMIRNOFF **509**

Smith, R.S.
Decay resistance owing to near-anaerobic conditions in black cottonwood wetwood
B.J. VAN DER KAMP, A.A. GOKHALE, and R.S. SMITH **39**

Smith, V.G.
Estimating the solid-wood content of stacked logs with minimum total cost
VICTOR G. SMITH **292**

Steiner, K.C.
Variation among *Fraxinus* families in foliar response to ozone
K.C. STEINER and D.D. DAVIS **106**

Sucoff, E.
Estimate of nitrogen fixation on leaf surfaces of forest species in Minnesota and Oregon
EDWARD SUCOFF **474**

Sutherland, J.R.
The pathogenic fungus *Caloscypha fulgens* in stored conifer seeds in British Columbia and relation of its incidence to ground and squirrel-cache collected cones
JACK R. SUTHERLAND **129**

Swan, E.P.
Phenolic character of sequential solvent extracts from western hemlock and white spruce barks
H.S. FRASER and E.P. SWAN **495**

Thies, W.G.
A photographic method for measuring tree defect
WALTER G. THIES and ROBERT D. HARVEY, JR. **541**

Thomas, J.B.
Evaluation of phyllophagous insects as possible vectors of Dutch elm disease
EDWARD S. KONDO and J. BOYD THOMAS **90**

Trlica, M.J.
Sodium chloride effects on carbon dioxide exchange rates and other plant and soil variables of ponderosa pine
D. BEDUNAH and M.J. TRLICA **349**

Truong dinh Phu
Effet du chaulage sur la croissance de l'épinette blanche plantée à Grand'Mère
TRUONG DINH PHU **305**

Tryon, E.H.
Sprouting ability of advance growth in undisturbed hardwood stands
DOUGLAS S. POWELL and E.H. TRYON **116**

van den Driessche, R.
Respiration rate of cold-stored nursery stock
R. VAN DEN DRIESSCHE **15**

van der Kamp, B.J.
Decay resistance owing to near-anaerobic conditions in black cottonwood wetwood
B.J. VAN DER KAMP, A.A. GOKHALE, and R.S. SMITH **39**

Van Wagner, C.E.
A laboratory study of weather effects on the drying rate of jack pine litter
C.E. VAN WAGNER **267**

Vézina, P.E.
Susceptibility of balsam fir to spruce budworm defoliation as affected by thinning
GREGORY W. CROOK, PAUL E. VÉZINA, and YVAN HARDY **428**

Wallis, G.W.
Comparison of indicator variables for estimating growth reduction associated with *Phellinus weirii* root in Douglas-fir plantations
W.J. BLOOMBERG and G.W. WALLIS **76**

Wargo, P.M.
Starch storage and radial growth in woody roots of sugar maple
PHILIP M. WARGO **49**

Wein, R.W.
Fire history and recent fire rotation periods in the Nova Scotia Acadian Forest
ROSS W. WEIN and JANICE M. MOORE **166**

Wheeler, N.
Effect of continuous photoperiod on growth and development of lodgepole pine seedlings and grafts
NICHOLAS WHEELER **276**

Wierman, C.A.
Crown stratification by species in even-aged mixed stands of Douglas-fir – western hemlock
CHARLES A. WIERMAN and CHADWICK DEARING OLIVER **1**

Wilson, B.F.
Epicormic shoot growth in striped maple
B.F. WILSON **110**

Wilson, B.F.
Seed dormancy in striped maple
B.F. WILSON, D.E. HIBBS, and B.C. FISCHER **263**

Worrall, J.
Cladoptosis: a reproductive strategy in black cottonwood?
GLEN GALLOWAY and JOHN WORRALL **122**

Ying, C.C.
Variation in response to declining photoperiod among families and stands of white spruce in southeastern Ontario
D.F.W. POLLARD and C.C. YING **443**

Ying, C.C.
Variance in flushing among and within stands of seedling white spruce
D.F.W. POLLARD and C.C. YING **517**

Zobel, D.B.
Seed production in forests of *Chamaecyparis lawsoniana*
DONALD B. ZOBEL **327**

CANADIAN JOURNAL OF FOREST RESEARCH

JOURNAL CANADIEN DE LA RECHERCHE FORESTIERE

VOLUME 9, 1979

Subject Index / Index des matières

This is a rotated term index. The terms are arranged linearly, primary terms first, followed by secondary terms after the semicolon. Each primary term is used once to head an entry. Secondary terms are informative but not sufficiently specific to head entries. In an entry, a few terms by themselves may be ambiguous, but a reading of all the terms should convey the content of the paper. The index terms are followed by the volume number, inclusive page numbers, and author's names, in that order.

Il s'agit d'un index de termes permutés, présentés de façon linéaire: les termes principaux sont suivis, après le point-virgule, des termes secondaires. Chaque terme principal figure une fois au début d'une notice. Les termes secondaires sont utiles, mais trop peu précis pour servir de termes principaux. Il peut arriver que quelques termes d'une notice, pris isolément, soient obscurs, mais l'ensemble des termes doit préciser le contenu de l'article. Les termes de l'index sont suivis du numéro du volume, de la pagination complète et du nom de l'auteur ou des auteurs, dans cet ordre.

Abies, *Phellinus pini* var. *cancriformans*, canker, decay; Oregon, U.S.A., microscopy, cultures. **9**, 31–38 (Larsen et al.)
Abies amabilis, container stock, *Tsuga mertensiana*, *Picea glauca*, *Picea engelmannii*, photoperiod, light intensity; British Columbia. **9**, 82–89 (Arnott)
Abies balsamea, *Choristoneura*, defoliation; Quebec, thinning, susceptibility. **9**, 428–435 (Crook et al.)
————, *Choristoneura fumiferana*, defoliation; Quebec, chemical control. **9**, 354–361 (Blais)
————, *Choristoneura fumiferana*, *Bacillus thuringiensis*; foliage protection, stand restoration, Quebec, aerial application. **9**, 509–513 (Smirnoff)
Abies concolor, mycorrhizae, litter; field study, seedling survival, California, U.S.A. **9**, 311–315 (Alvarez et al.)
Abies grandis, *Orgia pseudotsugata*, *Choristoneura occidentalis*, *Pseudotsuga menziesii*, radial growth, defoliation; Idaho, U.S.A. **9**, 95–105 (Brubaker and Greene)
————, *Pseudotsuga menziesii*, decay, nutrients, acidity, *Armillariella mellea*; Idaho, U.S.A., discriminant function. **9**, 45–48 (Shields and Hobbs)
abscisic acid, *Acer pensylvanicum*, epicormic shoots, gibberellic acid, indolebutyric acid, benzyl adenine; New England, U.S.A. **9**, 110–113 (Wilson)
abscission, cladoptosis, litter, *Quercus alba*; Indiana, U.S.A. **9**, 345–348 (Chaney)
Acer pensylvanicum, age structure; gap phase replacement, life table, negative exponential function, power function, New England, U.S.A. **9**, 504–508 (Hibbs)
————, dormancy, stratification, seed; experiments, New England, U.S.A. **9**, 263–266 (Wilson et al.)
————, epicormic shoots, gibberellic acid, indolebutyric acid, abscisic acid, benzyl adenine; New England, U.S.A. **9**, 110–113 (Wilson)
Acer saccharinum, potassium nutrition, ozone, air pollution; controlled environment, stomatal opening. **9**, 501–503 (Noland and Kozlowski)
Acer saccharum, electrical resistance; Vermont, U.S.A., sap flow. **9**, 436–437 (Shortle et al.)
————, fertilization, release, leaf weight, *Fraxinus americana*, *Prunus serotina*; diameter growth, Ontario, factorial experiment in stands. **9**, 179–188 (Ellis)
————, *Prunus serotina*, reproduction, harvest cutting, liming; Pennsylvania, U.S.A. **9**, 362–368 (McClenahen and Hutnik)
————, starch, radial growth, roots; Connecticut, U.S.A., histochemical. **9**, 49–56 (Wargo)
acidity, *Abies grandis*, *Pseudotsuga menziesii*, decay, nutrients, *Armillariella mellea*; Idaho, U.S.A., discriminant function. **9**, 45–48 (Shields and Hobbs)
age structure, *Acer pensylvanicum*; gap phase replacement, life table, negative exponential function, power function, New England, U.S.A. **9**, 504–508 (Hibbs)
air pollution, *Acer saccharinum*, potassium nutrition, ozone; controlled environment, stomatal opening. **9**, 501–503 (Noland and Kozlowski)
————, *Fraxinus pennsylvanica*, *Fraxinus americana*, ozone; resistance, genetic variation, tolerance. **9**, 106–109 (Steiner and Davis)
————, SO_2, stomata, *Ulmus americana*, *Ginkgo biloba*; environmental stresses, Wisconsin, U.S.A. **9**, 57–62 (Noland and Kozlowski)
air tankers, simulation, modeling, fire suppression; computer model, cost effectiveness, New Brunswick. **9**, 390–398 (Simard)

amino acids, *Populus deltiodes*, xylem, translocation, carbohydrate, nitrogen; photosynthetically labelled by ^{14}C. **9**, 374–378 (Dickson)
ammonium nitrate; New Brunswick, aerially applied, interception. **9**, 437–441 (Mahendrappa)
Arceuthobium pusillum, *Picea mariana*; removal of shoots by birds. **9**, 544–545 (Baker and French)
Armillariella mellea, *Abies grandis*, *Pseudotsuga menziesii*, decay, nutrients, acidity; Idaho, U.S.A., discriminant function. **9**, 45–48 (Shields and Hobbs)
auxin, *Pseudotsuga menziesii*, cone production, flowering, gibberellin; seed-orchard, branch-girdle, seed-germination, British Columbia. **9**, 193–200 (Puritch et al.)

Bacillus thuringiensis, *Abies balsamea*, *Choristoneura fumiferana*; foliage protection, stand restoration, Quebec, aerial application. **9**, 509–513 (Smirnoff)
bark extracts, *Picea glauca*, *Tsuga heterophylla*; British Columbia, for adhesive formulation. **9**, 495–500 (Fraser and Swan)
benzyl adenine, *Acer pensylvanicum*, epicormic shoots, gibberellic acid, indolebutyric acid, abscisic acid; New England, U.S.A. **9**, 110–113 (Wilson)
biomass, *Pinus taeda*, genotype, mineral nutrients; Arkansas, U.S.A. **9**, 224–230 (Pope)
————, *Populus deltoides*, provenance, nutrient use; Mississippi, U.S.A., plantations. **9**, 532–534 (Blackmon et al.)
biomass budget, organic matter; tree components, fungal components, turnover time, forest floor, Oregon, U.S.A. **9**, 245–256 (Fogel and Hunt)
bud morphogenesis, *Picea glauca*, *Picea mariana*; controlled environment, provenances, Petawawa Forest Experiment Station. **9**, 211–217 (Pollard and Logan)
butt rot, *Picea glauca*, decay; Quebec. **9**, 287–289 (Lachance)

Caloscypha fulgens, seed diseases, squirrels, *Geniculodendron pyriforme*; British Columbia. **9**, 129–132 (Sutherland)
canker, *Phellinus pini* var. *cancriformans*, decay, *Abies*; Oregon, U.S.A., microscopy, cultures. **9**, 31–38 (Larsen et al.)
————, *Populus tremuloides*, *Hypoxylon mammatum*, *Saperda inornata*; Lake States, U.S.A., presence of branches. **9**, 290–291 (Ostry and Anderson)
carbohydrate, *Populus deltiodes*, xylem, translocation, amino acids, nitrogen; photosynthetically labelled by ^{14}C. **9**, 374–378 (Dickson)
carbon dioxide, nursery stock, cold storage, *Pinus resinosa*, *Picea glauca*, respiration; Ontario. **9**, 15–18 (van den Driessche)
Ceratocystis ulmi, phyllophagous insects; infection. ^{35}S-labelled spores, radioisotopes, *Magdalis* spp. weevils, *Ulmus americana* seedlings, artificial inoculation. **9**, 90–94 (Kondo and Thomas)
Chamaecyparis lawsoniana, seed crops; California, U.S.A. **9**, 327–335 (Zobel)
chaulage, *Picea glauca*, mineral nutrients, liming; Quebec. **9**, 305–310 (Truong Dinh Phu)
Choristoneura, *Abies balsamea*, defoliation; Quebec, thinning, susceptibility. **9**, 428–435 (Crook et al.)
Choristoneura fumiferana, *Abies balsamea*, *Bacillus thuringiensis*; foliage protection, stand restoration, Quebec, aerial application. **9**, 509–513 (Smirnoff)
————, *Abies balsamea*, defoliation; Quebec, chemical control. **9**, 354–361 (Blais)
Choristoneura occidentalis, *Orgia pseudotsugata*, *Abies grandis*, *Pseudotsuga menziesii*, radial growth, defoliation; Idaho, U.S.A. **9**, 95–105 (Brubaker and Greene)
cladoptosis, abscission, litter, *Quercus alba*; Indiana, U.S.A. **9**, 345–348 (Chaney)
————, *Populus trichocarpa*, vegetative reproduction; British Columbia. **9**, 122–125 (Galloway and Worrall)
clear-cutting, productivity, whole-tree harvest; New England, U.S.A., computer model hardwood species. **9**, 10–14 (Aber et al.)
Clethrionomys, *Peromyscus*, seeds; Ontario. **9**, 201–204 (Martell)
clinal variation, *Picea mariana*, provenance, seed sources; comment on Morgenstern (Can. J. For. Res. 8: 463. 1979). **9**, 547–548 (Falkenhagen)
————, *Picea mariana*, provenance, seed sources; rebuttal to Falkenhagen (Can. J. For. Res. 9: 547. 1979). **9**, 548 (Morgenstern)
cold storage, nursery stock, *Pinus resinosa*, *Picea glauca*, respiration, carbon dioxide; Ontario. **9**, 15–18 (van den Driessche)
cone production, *Pseudotsuga menziesii*, flowering, gibberellin, auxin; seed-orchard, branch-girdle, seed-germination, British Columbia. **9**, 193–200 (Puritch et al.)
cones, *Pinus contorta*, seeds, extraction; Alberta, temperature, time, kiln. **9**, 154–159 (Hellum and Pelchat)
————, *Pinus resinosa*; distribution within tree, method of sampling, Lake States, U.S.A. **9**, 257–262 (Mattson)
container stock, *Abies amabilis*, *Tsuga mertensiana*, *Picea glauca*, *Picea engelmannii*, photoperiod, light intensity; British Columbia. **9**, 82–89 (Arnott)
————, *Eucalyptus regnans*; sowing time, container type. **9**, 478–483 (Kellas and Edgar)
————, roots, *Pseudotsuga menziesii*; Oregon, U.S.A., comparison with bareroot and natural seedlings. **9**, 399–405 (Preisig et al.)
coppice, *Quercus velutina*, *Quercus alba*, shoot growth; Missouri, U.S.A., weekly elongation. **9**, 489–494 (Johnson)
CO_2 exchange, photosynthesis, sodium chloride, *Pinus ponderosa*; Colorado, U.S.A., highway salting. **9**, 349–353 (Bedunah and Trlica)

crown, *Tsuga heterophylla*, *Pseudotsuga menziesii*; coastal Washington, U.S.A., stem analysis, vertical stratification. **9**, 1-9 (Wierman and Oliver)
Cryptococcus, *Fagus sylvatica*, *Fagus grandifolia*, *Nectria*; England. **9**, 336-344 (Houston et al.)

dead wood, pulp, kraft, *Pinus banksiana*; *Neodiprion swainii*, Quebec. **9**, 149-153 (Hunt and Benoit)
decay, *Abies grandis*, *Pseudotsuga menziesii*, nutrients, acidity, *Armillariella mellea*; Idaho, U.S.A., discriminant function. **9**, 45-48 (Shields and Hobbs)
————, *Malus sylvestris*, microbial succession; Washington State, U.S.A., scanning electron microscopy. **9**, 464-469 (Blanchette)
————, *Phellinus pini* var. *cancriformans*, canker, *Abies*; Oregon, U.S.A., microscopy, cultures. **9**, 31-38 (Larsen et al.)
————, *Phellinus weirii*, *Pseudotsuga menziesii*; Oregon and Washington, U.S.A., stumps of 20, 30, and 50 years. **9**, 484-488 (Hansen)
————, photography, volume; deterioration, discoloration, Oregon, U.S.A. **9**, 541-543 (Thies and Harvey)
————, *Picea glauca*, butt rot; Quebec. **9**, 287-289 (Lachance)
defoliation, *Choristoneura*, *Abies balsamea*; Quebec, thinning, susceptibility. **9**, 428-435 (Crook et al.)
————, *Choristoneura fumiferana*, *Abies balsamea*; Quebec, chemical control. **9**, 354-361 (Blais)
————, *Orgia pseudotsugata*, *Choristoneura occidentalis*, *Abies grandis*, *Pseudotsuga menziesii*, radial growth; Idaho, U.S.A. **9**, 95-105 (Brubaker and Greene)
demand, price elasticity, wood products; cross-section analysis, time-series analysis. **9**, 141-148 (Buongiorno)
Dendroctonus ponderosae, *Pinus contorta*; degrade, salvage, blue stain, Oregon, U.S.A. **9**, 323-326 (Harvey)
diallel, isoenzymes, *Pseudotsuga menziesii*; full-sib progeny, Oregon, U.S.A. **9**, 189-192 (Copes)
discolored wood, *Populus* hybrids, wounds; anatomical barriers, compartmentalization, Maine, U.S.A. **9**, 205-210 (Eckstein et al.)
dormancy, *Prunus pensylvanica*, nitrogen fertilization, seeds; Pennsylvania, U.S.A. **9**, 514-516 (Auchmoody)
————, stratification, *Acer pensylvanicum*, seed; experiments, New England, U.S.A. **9**, 263-266 (Wilson et al.)
drying, litter, *Pinus banksiana*; controlled environments. **9**, 267-275 (Van Wagner)

econometrics, lumber industry; discussion of Manning (Can. J. For. Res. 5: 345. 1975). **9**, 295-296 (Muller)
edge effect, sampling, Monte Carlo simulation, fixed-area plots; statistical bias. **9**, 383-389 (Fowler and Arvanitis)
electrical resistance, *Acer saccharum*; Vermont, U.S.A., sap flow. **9**, 436-437 (Shortle et al.)
energy, wood fuel. **9**, 68-75 (Nautiyal)
epicormic shoots, *Acer pensylvanicum*, gibberellic acid, indolebutyric acid, abscisic acid, benzyl adenine; New England, U.S.A. **9**, 110-113 (Wilson)
Eucalyptus regnans, container stock; sowing time, container type. **9**, 478-483 (Kellas and Edgar)
extraction, *Pinus contorta*, seeds, cones; Alberta, temperature, time, kiln. **9**, 154-159 (Hellum and Pelchat)

Fagus grandifolia, *Fagus sylvatica*, *Cryptococcus*, *Nectria*; England. **9**, 336-344 (Houston et al.)
Fagus sylvatica, *Fagus grandifolia*, *Cryptococcus*, *Nectria*; England. **9**, 336-344 (Houston et al.)
fertilization, *Liquidambar styraciflua*, *Glomus mosseae*, *Glomus etunticatus*, mycorrhizae; Georgia, U.S.A. **9**, 218-223 (Schultz et al.)
————, nitrogen, *Pinus nigra* var. *maritima*; Scotland, N, P, Ca. **9**, 19-26 (Miller et al.)
————, release, leaf weight, *Acer saccharum*, *Fraxinus americana*, *Prunus serotina*; diameter growth, Ontario, factorial experiment in stands. **9**, 179-188 (Ellis)
fire, rotation period; Nova Scotia, fire history. **9**, 166-178 (Wein and Moore)
————, water repellency; Michigan, U.S.A., organic and mineral soils. **9**, 369-373 (Reeder and Jurgensen)
fire suppression, simulation, air tankers, modeling; computer model, cost effectiveness, New Brunswick. **9**, 390-398 (Simard)
fixed-area plots, sampling, Monte Carlo simulation, edge effect; statistical bias. **9**, 383-389 (Fowler and Arvanitis)
flowering, *Pseudotsuga menziesii*, cone production, gibberellin, auxin; seed-orchard, branch-girdle, seed-germination, British Columbia. **9**, 193-200 (Puritch et al.)
flushing, *Picea glauca*, provenance; Ontario provenances, controlled environment. **9**, 517-521 (Pollard and Ying)
form, pruning, sprouts, *Juglans nigra*; Tennessee, U.S.A. **9**, 114-116 (Funk)
Fraxinus americana, fertilization, release, leaf weight, *Acer saccharum*, *Prunus serotina*; diameter growth, Ontario, factorial experiment in stands. **9**, 179-188 (Ellis)
————, *Fraxinus pennsylvanica*, ozone, air pollution; resistance, genetic variation, tolerance. **9**, 106-109 (Steiner and Davis)
————, winter damage; New Brunswick, provenance test. **9**, 27-30 (Goldsmith and Boudreau)
Fraxinus pennsylvanica, *Fraxinus americana*, ozone, air pollution; resistance, genetic variation, tolerance. **9**, 106-109 (Steiner and Davis)

free growth, *Picea glauca*, provenance, photoperiod; Ontario provenances, controlled environment. **9**, 443–448 (Pollard and Ying)
frost damage, *Juglans nigra*, irrigation; Indiana, U.S.A., delay of development. **9**, 379–382 (Beineke and Hunley)

Ganoderma applanatum, *Populus trichocarpa*, wetwood, *Polyporus delectans*; British Columbia, CO_2, O_2, resistance. **9**, 39–44 (van der Kamp et al.)
Geniculodendron pyriforme, *Caloscypha fulgens*, seed diseases, squirrels; British Columbia. **9**, 129–132 (Sutherland)
genotype, *Pinus taeda*, biomass, mineral nutrients; Arkansas, U.S.A. **9**, 224–230 (Pope)
germination, laser, phytochrome, *Pinus banksiana*, seed. **9**, 522–524 (Campbell and Durzan)
gibberellic acid, *Acer pensylvanicum*, epicormic shoots, indolebutyric acid, abscisic acid, benzyl adenine; New England, U.S.A. **9**, 110–113 (Wilson)
gibberellin, *Pseudotsuga menziesii*, cone production, flowering, auxin; seed-orchard, branch-girdle, seed-germination, British Columbia. **9**, 193–200 (Puritch et al.)
Ginkgo biloba, SO_2, air pollution, stomata, *Ulmus americana*; environmental stresses, Wisconsin, U.S.A. **9**, 57–62 (Noland and Kozlowski)
Glomus etunticatus, *Liquidambar styraciflua*, *Glomus mosseae*, mycorrhizae, fertilization; Georgia, U.S.A. **9**, 218–223 (Schultz et al.)
Glomus mosseae, *Liquidambar styraciflua*, *Glomus etunticatus*, mycorrhizae, fertilization; Georgia, U.S.A. **9**, 218–223 (Schultz et al.)
grafts, *Pinus contorta*, photoperiod, seedlings; British Columbia. **9**, 276–283 (Wheeler)
Gremmeniella abietina, *Pinus resinosa*; disease etiology, biologic impact, economic impact, Ontario. **9**, 316–322 (Dorworth)
growth analysis, *Phellinus weirii*, *Pseudotsuga menziesii*, root rot. **9**, 76–81 (Bloomberg and Wallis)

hardwoods, sprouts; West Virginia, U.S.A. **9**, 116–120 (Powell and Tryon)
harvest cutting, *Prunus serotina*, *Acer saccharum*, reproduction, liming; Pennsylvania, U.S.A. **9**, 362–368 (McClenahen and Hutnik)
harvesting, management; operations research, mathematical programming, net worth, even-flow harvesting, goal programming. **9**, 525–531 (Kao and Brodie)
Hypoxylon mammatum, canker, *Populus tremuloides*, *Saperda inornata*; Lake States, U.S.A., presence of branches. **9**, 290–291 (Ostry and Anderson)

indolebutyric acid, *Acer pensylvanicum*, epicormic shoots, gibberellic acid, abscisic acid, benzyl adenine; New England, U.S.A. **9**, 110–113 (Wilson)
irrigation, *Juglans nigra*, frost damage; Indiana, U.S.A., delay of development. **9**, 379–382 (Beineke and Hunley)
isoenzymes, *Pseudotsuga menziesii*, diallel; full-sib progeny, Oregon, U.S.A. **9**, 189–192 (Copes)

Juglans nigra, pruning, form, sprouts; Tennessee, U.S.A. **9**, 114–116 (Funk)
————, frost damage, irrigation; Indiana, U.S.A., delay of development. **9**, 379–382 (Beineke and Hunley)

kraft, pulp, dead wood, *Pinus banksiana*; *Neodiprion swainii*, Quebec. **9**, 149–153 (Hunt and Benoit)

laser, phytochrome, germination, *Pinus banksiana*, seed. **9**, 522–524 (Campbell and Durzan)
leaf weight, fertilization, release, *Acer saccharum*, *Fraxinus americana*, *Prunus serotina*; diameter growth, Ontario, factorial experiment in stands. **9**, 179–188 (Ellis)
light intensity, container stock, *Abies amabilis*, *Tsuga mertensiana*, *Picea glauca*, *Picea engelmannii*, photoperiod; British Columbia. **9**, 82–89 (Arnott)
liming, *Picea glauca*, mineral nutrients, chaulage; Quebec. **9**, 305–310 (Truong Dinh Phu)
————, *Prunus serotina*, *Acer saccharum*, reproduction, harvest cutting; Pennsylvania, U.S.A. **9**, 362–368 (McClenahen and Hutnik)
Liquidambar styraciflua, *Glomus mosseae*, *Glomus etunticatus*, mycorrhizae, fertilization; Georgia, U.S.A. **9**, 218–223 (Schultz et al.)
litter, abscission, cladoptosis, *Quercus alba*; Indiana, U.S.A. **9**, 345–348 (Chaney)
————, mycorrhizae, *Abies concolor*; field study, seedling survival, California, U.S.A. **9**, 311–315 (Alvarez et al.)
————, *Pinus banksiana*, drying; controlled environments. **9**, 267–275 (Van Wagner)
————, *Pseudotsuga menziesii*, nutrient release; Washington, U.S.A. **9**, 132–140 (Edmonds)
lumber industry, econometrics; discussion of Manning (Can. J. For. Res. 5: 345. 1975). **9**, 295–296 (Muller)

Malus sylvestris, decay, microbial succession; Washington State, U.S.A., scanning electron microscopy. **9**, 464–469 (Blanchette)

management, harvesting; operations research, mathematical programming, net worth, even-flow harvesting, goal programming. **9**, 525–531 (Kao and Brodie)
microbial succession, *Malus sylvestris*, decay; Washington State, U.S.A., scanning electron microscopy. **9**, 464–469 (Blanchette)
mineral nutrients, organic matter, *Populus tremuloides*, soil; Alberta, temporal and spatial dynamics. **9**, 449–463 (Lousier and Parkinson)
————, *Picea glauca*, chaulage, liming; Quebec. **9**, 305–310 (Truong Dinh Phu)
————, *Pinus taeda*, genotype, biomass; Arkansas, U.S.A. **9**, 224–230 (Pope)
model validation, simulation models; FOREST, SHAF. **9**, 231–244 (Ek and Monserud)
modeling, simulation, air tankers, fire suppression; computer model, cost effectiveness, New Brunswick. **9**, 390–398 (Simard)
Monte Carlo simulation, sampling, fixed-area plots, edge effect; statistical bias. **9**, 383–389 (Fowler and Arvanitis)
mycorrhizae, *Abies concolor*, litter; field study, seedling survival, California, U.S.A. **9**, 311–315 (Alvarez et al.)
————, *Liquidambar styraciflua*, *Glomus mosseae*, *Glomus etunticatus*, fertilization; Georgia, U.S.A. **9**, 218–223 (Schultz et al.)

Nectria, *Fagus sylvatica*, *Fagus grandifolia*, *Cryptococcus*; England. **9**, 336–344 (Houston et al.)
needles, *Pinus contorta* var. *latifolia*; Alberta, elevation. **9**, 538–541 (Pollock and Dancik)
nitrogen, fertilization, *Pinus nigra* var. *maritima*; Scotland, N, P, Ca. **9**, 19–26 (Miller et al.)
————, *Populus deltiodes*, xylem, translocation, amino acids, carbohydrate; photosynthetically labelled by ^{14}C. **9**, 374–378 (Dickson)
nitrogen fertilization, *Prunus pensylvanica*, seeds, dormancy; Pennsylvania, U.S.A. **9**, 514–516 (Auchmoody)
nitrogen fixation, phyllosphere; Minnesota, Oregon. **9**, 474–477 (Sucoff)
nursery stock, cold storage, *Pinus resinosa*, *Picea glauca*, respiration, carbon dioxide; Ontario. **9**, 15–18 (van den Driessche)
————, *Pinus contorta*, root growth; quality assessment, volume displacement. **9**, 63–67 (Burdett)
nutrient release, *Pseudotsuga menziesii*, litter; Washington, U.S.A. **9**, 132–140 (Edmonds)
nutrient use, *Populus deltoides*, provenance, biomass; Mississippi, U.S.A., plantations. **9**, 532–534 (Blackmon et al.)
nutrients, *Abies grandis*, *Pseudotsuga menziesii*, decay, acidity, *Armillariella mellea*; Idaho, U.S.A., discriminant function. **9**, 45–48 (Shields and Hobbs)

organic matter, biomass budget; tree components, fungal components, turnover time, forest floor, Oregon, U.S.A. **9**, 245–256 (Fogel and Hunt)
————, *Populus tremuloides*, soil, mineral nutrients; Alberta, temporal and spatial dynamics. **9**, 449–463 (Lousier and Parkinson)
Orgia pseudotsugata, *Choristoneura occidentalis*, *Abies grandis*, *Pseudotsuga menziesii*, radial growth, defoliation; Idaho, U.S.A. **9**, 95–105 (Brubaker and Greene)
ozone, *Acer saccharinum*, potassium nutrition, air pollution; controlled environment, stomatal opening. **9**, 501–503 (Noland and Kozlowski)
————, *Fraxinus pennsylvanica*, *Fraxinus americana*, air pollution; resistance, genetic variation, tolerance. **9**, 106–109 (Steiner and Davis)

Peromyscus, *Clethrionomys*, seeds; Ontario. **9**, 201–204 (Martell)
Phellinus pini* var. *cancriformans, canker, decay, *Abies*; Oregon, U.S.A., microscopy, cultures. **9**, 31–38 (Larsen et al.)
Phellinus weirii, *Pseudotsuga menziesii*, root rot, growth analysis. **9**, 76–81 (Bloomberg and Wallis)
————, *Pseudotsuga menziesii*, decay; Oregon and Washington, U.S.A., stumps of 20, 30, and 50 years. **9**, 484–488 (Hansen)
—— ——, sporulation; light requirements, temperature cultures. **9**, 535–538 (Li)
photography, volume, decay; deterioration, discoloration, Oregon, U.S.A. **9**, 541–543 (Thies and Harvey)
photoperiod, container stock, *Abies amabilis*, *Tsuga mertensiana*, *Picea glauca*, *Picea engelmannii*, light intensity; British Columbia. **9**, 82–89 (Arnott)
————, *Picea glauca*, provenance, free growth; Ontario provenances, controlled environment. **9**, 443–448 (Pollard and Ying)
————, *Pinus contorta*, seedlings, grafts; British Columbia. **9**, 276–283 (Wheeler)
photosynthesis, CO_2 exchange, sodium chloride, *Pinus ponderosa*; Colorado, U.S.A., highway salting. **9**, 349–353 (Bedunah and Trlica)
————, water stress, *Pseudotsuga menziesii*, *Tsuga heterophylla*, *Picea glauca*, *Pinus contorta*; British Columbia, controlled environment, **9**, 160–165 (Brix)
phyllophagous insects, *Ceratocystis ulmi*; infection. ^{35}S-labelled spores, radioisotopes, *Magdalis* spp. weevils, *Ulmus americana* seedlings, artificial inoculation. **9**, 90–94 (Kondo and Thomas)
phyllosphere, nitrogen fixation; Minnesota, Oregon. **9**, 474–477 (Sucoff)

Picea engelmannii, container stock, *Abies amabilis*, *Tsuga mertensiana*, *Picea glauca*, photoperiod, light intensity; British Columbia. **9**, 82–89 (Arnott)
————, stomata, water defecit, water potential; potted seedlings, Colorado, U.S.A. **9**, 297–304 (Kaufmann)
Picea glauca, butt rot, decay; Quebec. **9**, 287–289 (Lachance)
————, container stock, *Abies amabilis*, *Tsuga mertensiana*, *Picea engelmannii*, photoperiod, light intensity; British Columbia. **9**, 82–89 (Arnott)
————, nursery stock, cold storage, *Pinus resinosa*, respiration, carbon dioxide; Ontario. **9**, 15–18 (van den Driessche)
————, *Picea mariana*, bud morphogenesis; controlled environment, provenances, Petawawa Forest Experiment Station. **9**, 211–217 (Pollard and Logan)
————, provenance, photoperiod, free growth; Ontario provenances, controlled environment. **9**, 443–448 (Pollard and Ying)
————, provenance, flushing; Ontario provenances, controlled environment. **9**, 517–521 (Pollard and Ying)
————, *Tsuga heterophylla*, bark extracts; British Columbia, for adhesive formulation. **9**, 495–500 (Fraser and Swan)
————, water stress, photosynthesis, *Pseudotsuga menziesii*, *Tsuga heterophylla*, *Pinus contorta*; British Columbia, controlled environment, **9**, 160–165 (Brix)
————, mineral nutrients, chaulage, liming; Quebec. **9**, 305–310 (Truong Dinh Phu)
Picea mariana, *Arceuthobium pusillum*; removal of shoots by birds. **9**, 544–545 (Baker and French)
————, *Picea glauca*, bud morphogenesis; controlled environment, provenances, Petawawa Forest Experiment Station. **9**, 211–217 (Pollard and Logan)
————, provenance, seed sources, clinal variation; comment on Morgenstern (Can. J. For. Res. 8: 463. 1979). **9**, 547–548 (Falkenhagen)
————, provenance, seed sources, clinal variation; rebuttal to Falkenhagen (Can. J. For. Res. 9: 547. 1979). **9**, 548 (Morgenstern)
————, strobiles; Keewatin, Canada, bisexual. **9**, 284–286 (Elliott)
Picea sitchensis, wood structure; Wales, United Kingdom, seasonal progress, tracheid dimensions, trunk and branches. **9**, 406–427 (Denne)
Pinus banksiana, laser, phytochrome, germination, seed. **9**, 522–524 (Campbell and Durzan)
————, litter, drying; controlled environments. **9**, 267–275 (Van Wagner)
————, pulp, kraft, dead wood; *Neodiprion swainii*, Quebec. **9**, 149–153 (Hunt and Benoit)
————, thinning; Minnesota, U.S.A., rotary cutter, stocking, growth. **9**, 470–473 (Alm et al.)
Pinus contorta, *Dendroctonus ponderosae*; degrade, salvage, blue stain, Oregon, U.S.A. **9**, 323–326 (Harvey)
————, nursery stock, root growth; quality assessment, volume displacement. **9**, 63–67 (Burdett)
————, photoperiod, seedlings, grafts; British Columbia. **9**, 276–283 (Wheeler)
————, seeds, cones, extraction; Alberta, temperature, time, kiln. **9**, 154–159 (Hellum and Pelchat)
————, water stress, photosynthesis, *Pseudotsuga menziesii*, *Tsuga heterophylla*, *Picea glauca*; British Columbia, controlled environment, **9**, 160–165 (Brix)
Pinus contorta* var. *latifolia, needles; Alberta, elevation. **9**, 538–541 (Pollock and Dancik)
Pinus nigra* var. *maritima, fertilization, nitrogen; Scotland, N, P, Ca. **9**, 19–26 (Miller et al.)
Pinus ponderosa, photosynthesis, CO_2 exchange, sodium chloride; Colorado, U.S.A., highway salting. **9**, 349–353 (Bedunah and Trlica)
Pinus resinosa, cones; distribution within tree, method of sampling, Lake States, U.S.A. **9**, 257–262 (Mattson)
————, *Gremmeniella abietina*; disease etiology, biologic impact, economic impact, Ontario. **9**, 316–322 (Dorworth)
————, nursery stock, cold storage, *Picea glauca*, respiration, carbon dioxide; Ontario. **9**, 15–18 (van den Driessche)
Pinus taeda, genotype, biomass, mineral nutrients; Arkansas, U.S.A. **9**, 224–230 (Pope)
Polyporus delectans, *Populus trichocarpa*, wetwood, *Ganoderma applanatum*; British Columbia, CO_2, O_2, resistance. **9**, 39–44 (van der Kamp et al.)
Populus deltiodes, xylem, translocation, amino acids, carbohydrate, nitrogen; photosynthetically labelled by ^{14}C. **9**, 374–378 (Dickson)
————, provenance, nutrient use, biomass; Mississippi, U.S.A., plantations. **9**, 532–534 (Blackmon et al.)
Populus tremuloides, canker, *Hypoxylon mammatum*, *Saperda inornata*; Lake States, U.S.A., presence of branches. **9**, 290–291 (Ostry and Anderson)
————, organic matter, soil, mineral nutrients; Alberta, temporal and spatial dynamics. **9**, 449–463 (Lousier and Parkinson)
Populus trichocarpa, cladoptosis, vegetative reproduction; British Columbia. **9**, 122–125 (Galloway and Worrall)
————, wetwood, *Polyporus delectans*, *Ganoderma applanatum*; British Columbia, CO_2, O_2, resistance. **9**, 39–44 (van der Kamp et al.)
***Populus* hybrids**, wounds, discolored wood; anatomical barriers, compartmentalization, Maine, U.S.A. **9**, 205–210 (Eckstein et al.)

potassium nutrition, *Acer saccharinum*, ozone, air pollution; controlled environment, stomatal opening. **9**, 501–503 (Noland and Kozlowski)
price elasticity, demand, wood products; cross-section analysis, time-series analysis. **9**, 141–148 (Buongiorno)
productivity, whole-tree harvest, clear-cutting; New England, U.S.A., computer model hardwood species. **9**, 10–14 (Aber et al.)
provenance, *Picea glauca*, photoperiod, free growth; Ontario provenances, controlled environment. **9**, 443–448 (Pollard and Ying)
————, *Picea glauca*, flushing; Ontario provenances, controlled environment. **9**, 517–521 (Pollard and Ying)
————, *Picea mariana*, seed sources, clinal variation; comment on Morgenstern (Can. J. For. Res. 8: 463. 1979). **9**, 547–548 (Falkenhagen)
————, *Picea mariana*, seed sources, clinal variation; rebuttal to Falkenhagen (Can. J. For. Res. 9: 547. 1979). **9**, 548 (Morgenstern)
————, *Populus deltoides*, nutrient use, biomass; Mississippi, U.S.A., plantations. **9**, 532–534 (Blackmon et al.)
pruning, form, sprouts, *Juglans nigra*; Tennessee, U.S.A. **9**, 114–116 (Funk)
Prunus pensylvanica, nitrogen fertilization, seeds, dormancy; Pennsylvania, U.S.A. **9**, 514–516 (Auchmoody)
Prunus serotina, *Acer saccharum*, reproduction, harvest cutting, liming; Pennsylvania, U.S.A. **9**, 362–368 (McClenahen and Hutnik)
————, fertilization, release, leaf weight, *Acer saccharum*, *Fraxinus americana*; diameter growth, Ontario, factorial experiment in stands. **9**, 179–188 (Ellis)
Pseudotsuga menziesii, *Abies grandis*, decay, nutrients, acidity, *Armillariella mellea*; Idaho, U.S.A., discriminant function. **9**, 45–48 (Shields and Hobbs)
————, container stock, roots; Oregon, U.S.A., comparison with bareroot and natural seedlings. **9**, 399–405 (Preisig et al.)
————, isoenzymes, diallel; full-sib progeny, Oregon, U.S.A. **9**, 189–192 (Copes)
————, nutrient release, litter; Washington, U.S.A. **9**, 132–140 (Edmonds)
————, *Orgia pseudotsugata*, *Choristoneura occidentalis*, *Abies grandis*, radial growth, defoliation; Idaho, U.S.A. **9**, 95–105 (Brubaker and Greene)
————, *Phellinus weirii*, root rot, growth analysis. **9**, 76–81 (Bloomberg and Wallis)
————, *Phellinus weirii*, decay; Oregon and Washington, U.S.A., stumps of 20, 30, and 50 years. **9**, 484–488 (Hansen)
————, *Tsuga heterophylla*, crown; coastal Washington, U.S.A., stem analysis, vertical stratification. **9**, 1–9 (Wierman and Oliver)
————, water stress, photosynthesis, *Tsuga heterophylla*, *Picea glauca*, *Pinus contorta*; British Columbia, controlled environment. **9**, 160–165 (Brix)
————, cone production, flowering, gibberellin, auxin; seed-orchard, branch-girdle, seed-germination, British Columbia. **9**, 193–200 (Puritch et al.)
pulp, kraft, dead wood, *Pinus banksiana*; *Neodiprion swainii*, Quebec. **9**, 149–153 (Hunt and Benoit)
pytochrome, laser, germination, *Pinus banksiana*, seed. **9**, 522–524 (Campbell and Durzan)

Quercus alba, abscission, cladoptosis, litter; Indiana, U.S.A. **9**, 345–348 (Chaney)
————, *Quercus velutina*, coppice, shoot growth; Missouri, U.S.A., weekly elongation. **9**, 489–494 (Johnson)
Quercus velutina, *Quercus alba*, coppice, shoot growth; Missouri, U.S.A., weekly elongation. **9**, 489–494 (Johnson)

radial growth, *Acer saccharum*, starch, roots; Connecticut, U.S.A., histochemical. **9**, 49–56 (Wargo)
————, *Orgia pseudotsugata*, *Choristoneura occidentalis*, *Abies grandis*, *Pseudotsuga menziesii*, defoliation; Idaho, U.S.A. **9**, 95–105 (Brubaker and Greene)
radiocarbon dates; Quebec, James Bay Lowlands, peat, tree remains. **9**, 125–129 (Dionne)
release, fertilization, leaf weight, *Acer saccharum*, *Fraxinus americana*, *Prunus serotina*; diameter growth, Ontario, factorial experiment in stands. **9**, 179–188 (Ellis)
reproduction, *Prunus serotina*, *Acer saccharum*, harvest cutting, liming; Pennsylvania, U.S.A. **9**, 362–368 (McClenahen and Hutnik)
respiration, nursery stock, cold storage, *Pinus resinosa*, *Picea glauca*, carbon dioxide; Ontario. **9**, 15–18 (van den Driessche)
root growth, *Pinus contorta*, nursery stock; quality assessment, volume displacement. **9**, 63–67 (Burdett)
root rot, *Phellinus weirii*, *Pseudotsuga menziesii*, growth analysis. **9**, 76–81 (Bloomberg and Wallis)
roots, *Acer saccharum*, starch, radial growth; Connecticut, U.S.A., histochemical. **9**, 49–56 (Wargo)
————, container stock, *Pseudotsuga menziesii*; Oregon, U.S.A., comparison with bareroot and natural seedlings. **9**, 399–405 (Preisig et al.)
rotation period, fire; Nova Scotia, fire history. **9**, 166–178 (Wein and Moore)

sampling, Monte Carlo simulation, fixed-area plots, edge effect; statistical bias. **9**, 383–389 (Fowler and Arvanitis)

Saperda inornata, canker, *Populus tremuloides*, *Hypoxylon mammatum*; Lake States, U.S.A., presence of branches. **9**, 290–291 (Ostry and Anderson)
scaling, volume estimate, stacked logs. **9**, 292–294 (Smith)
seed, dormancy, stratification, *Acer pensylvanicum*; experiments, New England, U.S.A. **9**, 263–266 (Wilson et al.)
————, laser, phytochrome, germination, *Pinus banksiana*. **9**, 522–524 (Campbell and Durzan)
seed crops, *Chamaecyparis lawsoniana*; California, U.S.A. **9**, 327–335 (Zobel)
seed diseases, *Caloscypha fulgens*, squirrels, *Geniculodendron pyriforme*; British Columbia. **9**, 129–132 (Sutherland)
seed sources, *Picea mariana*, provenance, clinal variation; comment on Morgenstern (Can. J. For. Res. 8: 463. 1979). **9**, 547–548 (Falkenhagen)
————, *Picea mariana*, provenance, clinal variation; rebuttal to Falkenhagen (Can. J. For. Res. 9: 547. 1979). **9**, 548 (Morgenstern)
seedlings, *Pinus contorta*, photoperiod, grafts; British Columbia. **9**, 276–283 (Wheeler)
seeds, *Peromyscus*, *Clethrionomys*; Ontario. **9**, 201–204 (Martell)
————, *Pinus contorta*, cones, extraction; Alberta, temperature, time, kiln. **9**, 154–159 (Hellum and Pelchat)
————, *Prunus pensylvanica*, nitrogen fertilization, dormancy; Pennsylvania, U.S.A. **9**, 514–516 (Auchmoody)
shoot growth, *Quercus velutina*, *Quercus alba*, coppice; Missouri, U.S.A., weekly elongation. **9**, 489–494 (Johnson)
simulation, air tankers, modeling, fire suppression; computer model, cost effectiveness, New Brunswick. **9**, 390–398 (Simard)
simulation models, model validation; FOREST, SHAF. **9**, 231–244 (Ek and Monserud)
sodium chloride, photosynthesis, CO_2 exchange, *Pinus ponderosa*; Colorado, U.S.A., highway salting. **9**, 349–353 (Bedunah and Trlica)
soil, organic matter, *Populus tremuloides*, mineral nutrients; Alberta, temporal and spatial dynamics. **9**, 449–463 (Lousier and Parkinson)
SO_2, air pollution, stomata, *Ulmus americana*, *Ginkgo biloba*; environmental stresses, Wisconsin, U.S.A. **9**, 57–62 (Noland and Kozlowski)
sporulation, *Phellinus weirii*; light requirements, temperature cultures. **9**, 535–538 (Li)
sprouts, hardwoods; West Virginia, U.S.A. **9**, 116–120 (Powell and Tryon)
————, pruning, form, *Juglans nigra*; Tennessee, U.S.A. **9**, 114–116 (Funk)
squirrels, *Caloscypha fulgens*, seed diseases, *Geniculodendron pyriforme*; British Columbia. **9**, 129–132 (Sutherland)
stacked logs, volume estimate, scaling. **9**, 292–294 (Smith)
starch, *Acer saccharum*, radial growth, roots; Connecticut, U.S.A., histochemical. **9**, 49–56 (Wargo)
stomata, *Picea engelmannii*, water defecit, water potential; potted seedlings, Colorado, U.S.A. **9**, 297–304 (Kaufmann)
————, SO_2, air pollution, *Ulmus americana*, *Ginkgo biloba*; environmental stresses, Wisconsin, U.S.A. **9**, 57–62 (Noland and Kozlowski)
stratification, dormancy, *Acer pensylvanicum*, seed; experiments, New England, U.S.A. **9**, 263–266 (Wilson et al.)
strobiles, *Picea mariana*; Keewatin, Canada, bisexual. **9**, 284–286 (Elliott)

thinning, *Pinus banksiana*; Minnesota, U.S.A., rotary cutter, stocking, growth. **9**, 470–473 (Alm et al.)
translocation, *Populus deltiodes*, xylem, amino acids, carbohydrate, nitrogen; photosynthetically labelled by ^{14}C. **9**, 374–378 (Dickson)
Tsuga heterophylla, *Picea glauca*, bark extracts; British Columbia, for adhesive formulation. **9**, 495–500 (Fraser and Swan)
————, water stress, photosynthesis, *Pseudotsuga menziesii*, *Picea glauca*, *Pinus contorta*; British Columbia, controlled environment, **9**, 160–165 (Brix)
————, *Pseudotsuga menziesii*, crown; coastal Washington, U.S.A., stem analysis, vertical stratification. **9**, 1–9 (Wierman and Oliver)
Tsuga mertensiana, container stock, *Abies amabilis*, *Picea glauca*, *Picea engelmannii*, photoperiod, light intensity; British Columbia. **9**, 82–89 (Arnott)

Ulmus americana, SO_2, air pollution, stomata, *Ginkgo biloba*; environmental stresses, Wisconsin, U.S.A. **9**, 57–62 (Noland and Kozlowski)

vegetative reproduction, *Populus trichocarpa*, cladoptosis; British Columbia. **9**, 122–125 (Galloway and Worrall)
volume; plant parts, water displacement. **9**, 120–122 (Burdett)
————, photography, decay; deterioration, discoloration, Oregon, U.S.A. **9**, 541–543 (Thies and Harvey)
volume estimate, stacked logs, scaling. **9**, 292–294 (Smith)

water defecit, *Picea engelmannii*, stomata, water potential; potted seedlings, Colorado, U.S.A. **9**, 297–304 (Kaufmann)
water potential, *Picea engelmannii*, stomata, water defecit; potted seedlings, Colorado, U.S.A. **9**, 297–304 (Kaufmann)
water repellency, fire; Michigan, U.S.A., organic and mineral soils. **9**, 369–373 (Reeder and Jurgensen)
water stress, photosynthesis, *Pseudotsuga menziesii*, *Tsuga heterophylla*, *Picea glauca*, *Pinus contorta*; British Columbia, controlled environment, **9**, 160–165 (Brix)

wetwood, *Populus trichocarpa*, *Polyporus delectans*, *Ganoderma applanatum*; British Columbia, CO_2, O_2, resistance. **9**, 39–44 (van der Kamp et al.)
whole-tree harvest, productivity, clear-cutting; New England, U.S.A., computer model hardwood species. **9**, 10–14 (Aber et al.)
winter damage, *Fraxinus americana*; New Brunswick, provenance test. **9**, 27–30 (Goldsmith and Boudreau)
wood fuel, energy. **9**, 68–75 (Nautiyal)
wood products, price elasticity, demand; cross-section analysis, time-series analysis. **9**, 141–148 (Buongiorno)
wood structure, *Picea sitchensis*; Wales, United Kingdom, seasonal progress, tracheid dimensions, trunk and branches. **9**, 406–427 (Denne)
wounds, *Populus* hybrids, discolored wood; anatomical barriers, compartmentalization, Maine, U.S.A. **9**, 205–210 (Eckstein et al.)

xylem, *Populus deltiodes*, translocation, amino acids, carbohydrate, nitrogen; photosynthetically labelled by ^{14}C. **9**, 374–378 (Dickson)